

catmarine
PASSENGERS

**Catmarine 39 Hybrid
Techical Features
Pricelist**

CATMARINE SRL
VIA PAOLA E DANIELA
BASTIANUTTI – 25
73035 LECCE (LE)
TEL/FAX: +39 0833 761661
P.I. 03878130750
V.2022

Catmarine 39 – Technical Features

| <i>DATI TECNICI</i> | |
|----------------------------------|-------------|
| Length OA | 11,99m |
| Beam max | 5,51m |
| Draft | 0,95m |
| Displacement | 4.5 t |
| Engines | 2 x 8 kW |
| Trasmission | Sail Drive |
| Boat CE certified | C (leisure) |
| Capacity max (passegners + crew) | 38 persons |

All data are indicative and non-binding


Construction

The hulls, the deck, the cockpit are built on female mould and realized in fiberglass and sandwich with PVC 15/40 mm and density 75 kg/m³, worked and glued with isophthalic polyester resin.

The geal-coat used is of neopentilic type of first choice, ice white color, Ral 9003.

The interior wood is made of Okumè marine plywood.

The crossbars are made of fiberglass and polyester resin.




Deck and Cockpit

Stern hatch on the steps with access to the rudder ice room
Raised fiberglass steering console with attached fiberglass top
4 seats 10 seats fiberglass
Hydraulic wheelhouse with stainless steel wheel 380 mm
Navigation compass
Electrical panel with 8 circuit breakers
2 batteries of 100 Ah
Charge divider two inputs-two outputs
Battery coupling switch
8 electric bilge pumps
2 manual bilge pumps
4 skylights 600*600 mm in anodized aluminum for access to the hulls
6 300 mm stainless steel mooring bollards
2 Stainless steel ladders for climbing up to the stern
1 Stainless steel anchor winch 700 W, anchor delta 16 kg 35 m chain

Engines

2 SD8 Ocean Volt Dual Propulsion System engines
Ocean Volt Dual Control
Valence 17.5 kWh 48VDC battery pack
Valence 1000A 48VDC battery management system
Victron Energy Quattro 48/5000/70-100/100 battery charger/inverter with Digital Multi Control, for remote charging control.
Victron Energy Cerbo GX (kit) for remote control of the entire system, with 50" touch screen
220 V system with: battery charger, dockside socket, 220 V panel, 20m cable with plug and 220 V socket in console.



Costs and Optionals

Price (ex work):

€ 239.900

Optional

| | | | |
|--|---|-------|--------------------------|
| Bimini with stainless steel tubular structure, Lighting with 3 led tubes in the cockpit, polyester fabric cover guardrail | | | |
| stainless steel side protection and draglie bow, sitting helmsman | € | 24150 | <input type="checkbox"/> |
| Bimini with GRP structure and steel or aluminum uprights, including stainless steel guardrail lateral protection and draughts and helmsman seat | € | 38980 | <input type="checkbox"/> |
| 16 Enecom SunPower 120 Wp solar panels with SmartSolar MPPT 150/85 | € | 12860 | <input type="checkbox"/> |
| Fisher Panda 5000i diesel generator with fuel system and 200 L tank | € | 11000 | <input type="checkbox"/> |
| Fisher Panda 8000i diesel generator with fuel system and 200 L tank | € | 17490 | <input type="checkbox"/> |
| Steel gate | € | 600 | <input type="checkbox"/> |
| Plotter GPS Raymarine A67 Silver chart, trasducer depth7temp | € | 4500 | <input type="checkbox"/> |
| VHF Raymarine RAY 49 E with antenna | € | 1390 | <input type="checkbox"/> |
| Electric fridge 12 V 130 LT | € | 3220 | <input type="checkbox"/> |
| Stainless steel sink with tap and crystal lid mounted on external console | € | 690 | <input type="checkbox"/> |
| Closed cell external cushions | € | 1900 | <input type="checkbox"/> |
| 1 removable shower in the cockpit | € | 500 | <input type="checkbox"/> |
| Hi-fi stereo in the cockpit with 4*300 W speakers and amplifier | € | 2900 | <input type="checkbox"/> |
| Led blu lights under cockpit | € | 1840 | <input type="checkbox"/> |
| 220 V electrical system: battery chargers 30 A, electric dock socket, switchboard 220 V, 20m cable | € | 2800 | <input type="checkbox"/> |
| 1 battery extras 100Ah (It provides for variation of the divider charge) | € | 600 | <input type="checkbox"/> |
| Extra fuel tanks 200 L | € | 600 | <input type="checkbox"/> |
| Transport, final outfitting, antifouling and launching at the port of Gallipoli | € | 5750 | <input type="checkbox"/> |

| | | | |
|---|---|-------|--------------------------|
| Bathroom under deck, with 1 drinking water tank 120lt, autoclave, electrical wc | € | 5170 | <input type="checkbox"/> |
| Bathroom above deck equipped with 1 drinking water tank of 120 lt, autoclave, electric wc, extractable shower on stern step | € | 9000 | <input type="checkbox"/> |
| Boiler 220 V with boiler kit to the right engine | € | 2000 | <input type="checkbox"/> |
| RayMarine EV-200 Autopilot with hydraulic actuator | € | 4760 | <input type="checkbox"/> |
| Commissioning on board | € | 600 | <input type="checkbox"/> |
| RINA approval passenger transport navigation (Italy)summer still waters 38 pax (subject to changes to the already approved model) | € | 95000 | <input type="checkbox"/> |

The passenger transport approval includes:

- ✓ Declaration of start of construction, construction management, declaration of launching
- ✓ Stability test and instructions to the captain
- ✓ Technical documentation ex art 35 safety regulation
- ✓ Fire-fighting system for engine room according to RINA standards for passenger transport
- ✓ Bilge/fire extinguishing system on deck
- ✓ Rudders and metal rudders
- ✓ Compass according to MED directive
- ✓ Hull and deck laminations and structures compliant with RINA standards for passenger vessels
- ✓ Tonnage certificate

All prices are considered VAT excluded. The data are indicative and not binding.

